


## THREE PHASE INDUCTION MOTOR

## OUTLINE DIMENSION







## <NOTE>

- 1. TYPE: TEFC(Totally Enclosed Fan Cooled)

  FOOT MOUNTED TYPE
- 2. THE TOLERANCE FOR THE KEY DIMENSIONS

  IS IN ACCORDANCE WITH KS B 1311-84
- 3. THE TERMINAL BOX MAY BE ROTATED STEPS OF 90°
- 4. CAST IRON FRAME AND END BRACKETS.
- 5. STAINLESS STEEL NAME PLATE WITH CONNECTION DIAGRAM.
- 6. STEEL FAN COVER AND TERMINAL BOX.

	FRAME	OUTPUT (kW)				INS. CLASS	PRO- TEC-	RA- TING	BEARING NO.					APPROX.			
	NO.								2 P		4 P		6P / 8P		WEIGHT (Kg)		(Kg)
		2P	4P	6P	8P	CLASS	TION	IING	DRIVE	OPP.D.	DRIVE	OPP.D.	DRIVE	OPP.D.	2P	4P	6P/8P
	90L	_	1.5	-	_	В	IP44	CONT.	_	_	6205ZZ	6204ZZ	-	_	_	24	-

UNIT	JNIT mm SCALE N S PROJE		T'N 3rd Angle	TITLE	OUTLINE			
DESIGNED		CHECKED	APPROVED	111 00				
2008.04.01 S.M.KIM		2008.04.01 J.H.J0	2008.04.01 H. J. KIM	SUBJECT	90L, B3			
H	IGEN	Motor C	o., Ltd.	DWG. NO.	DW-KMI-02HK1			